




SPAULDING-MOSS COMPANY
Everything for the Artist & Draftsman
42 Franklin Street
Boston 10, Massachusetts
Liberty 2-3000

Artists
AIRPAINTING EQUIPMENT
by Paasehe



45th Anniversary

MILLIONS SAVED BY THE USE OF PAASCHE PRODUCTS

Introduction

- PAASCHE AIRBRUSH CO.,**-----co-operating closely with the paint, color and chemical industries for more than 45 years, has pioneered in the development of hundreds of air-operated devices, for which over 85 United States and foreign Paasche patents have been granted. These improved units have **saved millions of dollars** in time and materials and provided limitless possibilities in new attractive and more effective finishes in their many fields of usefulness.
- PAASCHE ART EQUIPMENT.**-----Airpainting has become one of the most fascinating methods for artistic expression. Because air is the most flexible and responsive medium for drawing and painting, Artists can bring forth lifelike impressions and feeling into their work. Leading artists, photographers, illustrators and designers who paint with air have made outstanding contributions in producing masterpieces in art, illustrations for catalogs, publication designs and architectural renderings, moving pictures, television, posters, dioramas etc. A small investment in Air Equipment has helped to bring fame and fortune to many artists.
- PAASCHE "NO-ink-OFFSET" PROCESS UNITS,**-----A "3 in 1" TIME SAVING COMBINATION. This outstanding development pioneered by Paasche is now in use on thousands of printing presses and has greatly improved the quality of printing, increased press speeds and reduced costs. Slip-sheeting has been eliminated, resulting in saving thousands of tons of slip-sheet and paper stock annually. Glossy inks and varnishes are now used without racking or sheets sticking together in the delivery pile.
- PAASCHE MANUAL AND AUTOMATIC AIRPAINTING EQUIPMENT,**-----increases production, provides faster and smoother application of paint, lacquer and finishing materials of every description, at great saving of time, material, and at reduced cost. Leading manufacturers prefer Paasche Airpainting Equipment for airfinishing, from tiniest articles to mass production of wood and metal products, furniture, automobiles, trucks, airplanes, railroad equipment, ships, etc. This equipment pioneered by Paasche has developed a great variety of beautiful new finishes at savings of millions of man hours annually.
- PAASCHE RESEARCH & ENGINEERING STAFFS**-----are constantly at work, developing new and better equipment and methods to meet the most exacting requirements of the atomic age. This pool of engineering facilities is available to anyone interested in saving materials, saving of time and securing better finishes at lower costs.
- SUPERIOR EQUIPMENT PROGRESSIVE POLICY.**-----The Paasche Airbrush Company's wealth of experience, gained through nearly a half a century of close association with the paint, chemical and manufacturing industries, coupled with a progressive policy calling for constant improvement and standardization, has resulted in a line of original equipment that is years ahead in design, construction and performance. To our many friends and customers, who have cooperated so splendidly with us, in making our expansion and progress possible during these 45 years, we are deeply grateful. We are pleased to present this 24 page catalog, covering the most modern and complete line of Art "Air" Equipment.

FRONT COVER COURTESIES:

- (1) Ferruccio Panepinto using type "AB" Airbrush for Anatomical Airdrawing.
- (2) Fred Lorenz uses type AB for National Poster Illustration.
- (3) J. Zellers Allen shown at drawing board in his Detroit Studio.
- (4) Walter S. King using type AB on Architectural Rendering.
- (5) Herman Paus using type AB on one of his prominent illustrations.
- (6) Airpainting of J. A. Paasche, Founder and President of the Paasche Airbrush Co., by Pearl Frush.
- (7) Outstanding example of Airbrush Lettering effects.

Sincerely yours,


Founder

President.

P.S. You may order Paasche Equipment from your local Art Supply Dealer or contact nearest Paasche Branch Office.

Paasche
Patented

The Fine Arts Airbrush



Jet propelled since 1904.

AB in Easel Position.

AB The Fine Arts Airbrush acclaimed by thousands of users as the world's finest and most accurately controlled airbrush, enables the artist to do superlative work.

It draws from the finest hairline or dot to a gradual widening volume of perfectly atomized color by easy manipulation of the double action air and color lever. It makes a clean cut edge with or without frisket, applies a fine or coarse stipple for realistic textures. A small amount of color may be placed in the needle bearing without filling the cup for rapid color change. It works equally well with opaque colors, India ink or colors of any description without clogging, because the colors are mechanically fed, and color cup is open for quick color change and cleaning.

AB Airbrush is powered with an air turbine, controlled at any speed up to 20,000 RPM. The turbine reciprocates a finely pointed hardened steel needle which carries color to the air stream where it is finely atomized. Color-cup can be adjusted for easel or drawing board use. The ball of the color-cup may rest as a guide on the drawing for greater accuracy of very fine detail work.

Recommended for all types of creative and commercial art, including fashion, architectural and monumental designing, where the sharpest detail is essential. Ninety percent of all newspaper artists use type AB Airbrush for their most exacting work. Hundreds of these Airbrushes are used in aviation services for aerial designing and photo retouching and in other Services for many varied purposes.

Requires $\frac{3}{4}$ c.f.m. at 30 lbs. airpressure.

AB Airbrush, complete with one dozen needles packed in the handle, screw driver, tweezers, hanger and hose coupling, with directions, packed in attractive case. **\$49.50**

Net Extra for ABL Airbrush for left-handed operator. . . . **\$12.00**

Extra Needles, per dozen. **\$ 1.10**

Hose and accessories listed on Page 8.

Length $5\frac{7}{16}$ ". Net Wt. $2\frac{1}{4}$ oz.



AB in drawing Table Position.




Mr. E. Perrine, famous Artist, graciously presented the Paasche Art Collection over 100 original airpaintings, of which two are reproduced.




Airpainting by Varga, the master painter of the contemporary American girl. Copyright 1945 by Esquire, Inc.



Holabird & Root, Architects, reveal the unlimited possibilities of the Airbrush in this perspective elevation of the Statler Hotel, Washington, D. C.




Prize winning freehand airpainting by J. Greenleaf.




V 1 or 2 Airbrush

"SELF-CENTERING MULTIPLEHEAD"



Retouched color photo of Frederick March, using the V Airbrush.



Modern Airport Design by A. Radebaugh famed Airbrush Artist.



Theatrical Poster Airpainting by Robert Howell Clark: Hollywood poster and design artist showing outstanding air technique.

V size 1 or 2 Airbrushes are precision instruments for drawing fine detail. They feed a generous flow of color for blending, shading and covering larger areas faster than with the AB Airbrush. They have the double-action finger lever which controls the air and amount of color desired, draws a fine line that instantly widens to fill in a background or cloud effects. The Multiple-head feature, in two sizes with self-centering replaceable tips, gives wider working range and is a great convenience to the Artist, as he can replace the head or tip quickly without loss of time. Micrometer line adjuster provides quick setting of color feed from finest line to size desired.

The V Airbrush applies a wash of photographic smoothness and with a decrease in airpressure produces a fine or coarse stipple or spatter effect. It is especially suited for making illustrations for catalogs and brochures. Ideal for and extensively used by Portrait Artists, Photographers, for retouching, Vignetting, Laying Backgrounds and Tinting. Is generally recommended for commercial retouching, fashion design, mechanical retouching and airpainting, film preparation, architectural renderings and wherever exacting airpaintings are to be made with speed.

Uses Moist, Powder or Liquid Water Colors, Retouch Grays, Inks, Dyes and thinned Oil Colors.

Requires $\frac{1}{2}$ to 1 c.f.m. at 30 lbs. airpressure.

V size 1 or 2 Airbrush, complete with extra needle, extra self-centering tip (in end of handle), reamer, $\frac{1}{8}$ oz. color-cup, hanger and hose coupling, instructions for care and handling, packed in attractive case.\$28.00

Size 1 furnished unless otherwise specified

For left-handed operators specify VV Size 1 or 2 Airbrush, no extra charge.

Length $5\frac{3}{4}$. Net Wt. 3 oz. Hose and accessories on Page 8.


Studio Aircompressors listed on page 16.

Extra Parts

VM size 1 or 2 Multiplehead (with tip).....	\$3.50
VN size 1 or 2 Needle (stainless steel).....	.55
VT size 1 or 2 Tip.....	1.75
V $\frac{1}{8}$ oz. Metal Cup.....	1.30
V $\frac{1}{4}$ oz. Metal Cup.....	1.60
V 1 oz. Metal Cup with Cover and Syphon Tube.....	1.85
V 1 oz. Color Bottle complete.....	.75
1 oz. Bottle only.....	.10



V 1 Ounce Metal Cup



V $\frac{1}{4}$ Ounce Cup

Airbrush design of Kling Studios, Chicago




1 Ounce Color Bottle.



VL 1, 3 or 5 Airbrush

Patented

"SELF-CENTERING MULTIPLEHEAD"



VL size 1, 3 or 5 Airbrushes are used by America's leading poster artists and displaymen. Double action control permits instant regulation of color and air without stopping work. This makes for greater flexibility and marvelous freedom in the execution of airpaintings.

PAASCHE Exclusive Multiplehead Feature

The VL size 1, 3 or 5 Airbrush is a syphon or gravity feed type and has the Paasche self-centering tip which can be replaced quickly without tools by the artist without loss of time. Three different size, quick interchangeable multipleheads, tips and needles widen its color and working range from fine detail to faster and broader coverage.

Size No. 1 for detail. **Size No. 3** feeds color faster. **Size No. 5** for heavier colors and faster coverage. **Require** $\frac{3}{4}$ -1-1 $\frac{1}{4}$ c.f.m. at 35 lbs. airpressure.

Because it is instantly adjustable from a line to a full spray with reduced lacquers, varnishes, paints and ceramic glaze, it is used extensively in coloring fish lures, for creating dioramas; a great favorite with sign, displaymen, window trimmers and Potteries for artistic glazing.

Electrical and Instrument Manufacturers use these airbrushes for finishing small parts, Automotive, Refrigerator, Radio and Television Manufacturers use them for touch-up and to remove scratches and flaws in their products, also used in hundreds of ways to improve the appearance of instrument parts, etc.

VL size 1, 3 or 5 Airbrush, complete with extra needle, extra self-centering tip (in end of handle), $\frac{1}{4}$ oz. color-cup, reamer, 3 oz. bottle, hanger and hose coupling, instructions for handling, packed in case.

(Size No. 3 furnished unless otherwise specified.)\$32.00

Length 6 $\frac{1}{4}$ " Net Wt. 4 oz. Hose and accessories on Page 8.

EXTRA PARTS

VLM size 1, 3 or 5 Multiplehead (with tip).....	\$4.00
VLN size 1, 3 or 5 Needle (stainless steel).....	.70
VL T size 1, 3, or 5 Tip.....	1.75
VLE $\frac{1}{4}$ oz. Metal Cup for easel, VLD $\frac{1}{4}$ oz. Metal Cup for drawing board.....	1.60
VL 2 oz. Aluminum Color-cup with Screw Cover.....	2.25
VL 3 oz. Color Bottle, complete.....	.85
VLD 3 oz. Decorator's Color Bottle, complete.....	1.25
3 oz. Bottle only.....	.10
VLH Aluminum Handle (for use with lacquers).....	2.00

VLAU Airpainting Unit


This Unit is designed to meet the requirements of the user demanding production line efficiency in Airpainting detailed items such as fish lures, plaster or plastic figures, novelties, toys, dolls, stationery, touch-up, displays, sign painting, etc.

This Airpainting Unit with 2 Quart material container enabled one manufacturer to color 5,000 plaster figures three times faster. The gravity container is hung just above shoulder height to furnish an even and constant flow of material at the operator's finger tip.


If you have a large quantity of items to be painted in detail, this unit will produce many artistic and attractive finishes, speed production and reduce cost.

VLAU 1, 3 or 5 Airpainting Unit with 2 Quart Gravity Container for production coloring, finishing and fine decorating.....\$62.55
Consists of:

VL size 1, 3 or 5 Airbrush with Aluminum Handle less accessories.....	\$30.00
ASCG 2 Quart Gravity Cup, Hanger and HF $\frac{1}{4}$ " Valve.....	8.60
HL $\frac{3}{16}$ " 6' Fluid Hose, HLC $\frac{3}{16}$ "- $\frac{1}{4}$ " VL-C $\frac{3}{16}$ " Couplings.....	1.65
A $\frac{1}{8}$ " 6' Airhose, HLC20° $\frac{1}{8}$ "- $\frac{1}{4}$ "-40, HL-C $\frac{1}{8}$ "- $\frac{1}{4}$ " Couplings....	1.40
AM6-RB3 $\frac{1}{4}$ " Airconditioner Unit, Provides clean, dry air.....	20.90



Poster Design by Art Harder,
New York, N.Y.




VL 2 Oz. Aluminum
Color Cup.



The VL Airbrush is used extensively for coloring and shading China, ceramics and Plastics.



A typical Airpainting as executed with the VL Airbrush.



VLAU Production Aircoloring Unit.


Paasche

"3 in 1" Airbrushes

Patented



A realistic Airbrush rendering by A. Radebaugh with type H Airbrush.



Using type "H" Airbrush to restore Antiques.
—Courtesy A. Ludwig Klein & Co.
Philadelphia.



The H Airbrush is used extensively by model railroad hobbyists.

H "3 IN 1" CONVERTIBLE AIRBRUSHES are the most popular among Sign Painters, Window Trimmers, Novelty and Jewelry Manufacturers, Fix-It Shops, Hobby Shops, Potteries, etc., because of their simplicity of design and ease of operation. The "3 in 1" feature provides use of a wide range of color effects and the operator can without much practice color, tint, shade, stencil, decorate, paint toys and novelties, touch-up scratches on radios, refrigerators, finish small parts in solid color and produce blended, stipple or granular effects.

The air and color feeds are independent and are adjustable to give a fixed line, shade or stipple effect, as best suited for work to be done. Three sizes of interchangeable color and aircap parts give wide range from a fine line to wide spray.

Size **No. 1** for light colors and fine detail.

Size **No. 3** for medium colors, less detail.

Size **No. 5** for heavier colors and faster spray.

Requires
 $\frac{3}{4}$ —1— $1\frac{1}{4}$ c.f.m.
at 35 lbs. airpressure

These Airbrushes are three times faster than type **F** Airbrushes.

Any liquid color, paint, varnish or lacquers reduced to free flowing consistencies can be used.

H size 1, 3 or 5 AIRBRUSH, complete with $\frac{1}{4}$ oz. color-cup, 3 oz. color bottle, hanger, hose coupling and instructions for care and handling, packed in attractive case. **\$16.00**

Furnished with size 3 Color Adjusting part unless otherwise specified.

Length $6\frac{1}{4}$ ". Net Wt. 3 oz.

Extra Parts

H 3 oz. Bottle complete.	\$.85
3 oz. Bottle only.	.10
H143A Aluminum Handle.	2.00
(Recommended for use with lacquer)	
H $\frac{1}{4}$ oz. Metal Color-cup.	1.60
H 2 oz. Screwcover Aluminum Cup.	2.25
HD 3 oz. Decorators Bottle.	1.25

H Extra Color Adjusting Parts

H 1, 3 or 5 Color Adjusting Parts.	\$3.50
H 1, 3 or 5 Aircaps.	.65



H 3 Oz.
Color Bottle.

H 2 Oz. Screw-cover
Aluminum Cup.



Order Aircaps same size
as color part.



Airbrush Department of a leading Bookbindery equipped with Paasche types "H" and "VL" Airbrushes also Paasche Ventilating Units and Bench Booths.

HS 3 in 1 AIRBRUSH. \$16.00
With same accessories as H Airbrush and one V 62 Wrench.
This Airbrush is used with standard taper stem cups and bottles, also HS 3 oz. Bottle with threaded connection.


HS 1, 3 or 5 Color Adjusting Part. \$3.75
With swivel nut for coupling bottle to Airbrush.

HS 3 oz. Color Bottle. \$1.10
Used with HS Airbrushes, where frequent changes of color are not required.

Paasche

7 "2 in 1" Airbrushes

Patented



F "2 in 1" CONVERTIBLE AIRBRUSHES are of the same design as type **H Airbrushes**. They require lighter consistency colors and operate at one-third the speed of the larger airbrushes. These Airbrushes are popular with the beginner, as they are easy to control from a fine line to wide spray and granulated effects.

Two size color adjusting and aircap parts give this smaller airbrush a wider color range than possible with ordinary airbrushes.

Require $\frac{1}{2}$ to 1 c.f.m. at 30 lbs. airpressure.

Thousands of these airbrushes are in use making animated cartoons and illustrations for the motion picture industries and many other fields where they are used to create striking air effects.

Schools find the "F" Airbrush the ideal tool for the beginner. They are easy to master, simple to operate, damage-proof, and have very few mechanical parts that require attention. The average student or beginner can adjust from line to stipple and broad spray, and control airbrush without previous experience. The amount of color to be applied is easily and accurately controlled by the convenient color adjusting part.

F size 1 or 2 Airbrush, complete with quick attachable $\frac{1}{4}$ oz. color-cup, airbrush hanger, hose coupling, and instructions for care and handling, packed in case. **\$13.20**

Furnished with Size 2 color adjusting part unless otherwise specified.

Length $5\frac{1}{4}$ ". Net Wt. 2 oz.

Extra Parts

F 1 oz. Bottle, complete. **\$.75**

F $\frac{1}{8}$ oz. Metal Color-cup. **1.30**

F $\frac{1}{4}$ oz. Metal Color-cup. **1.60**

F Extra Color Adjusting Parts

F 1 or 2 Color Adjusting Parts. **\$3.25**

F 1 or 2 Aircaps. **.50**

A complete line of colors especially made for use in the airbrushes are listed on Pages 14 and 15.


Aircompressors of special design for studio use are listed on Page 16 and 17.




F 1 oz. Color Bottle




F Color Adjusting Part.



Cone



Block



Pyramid



Cylinder



Hexagonal Prism

Air sketches of the above three-dimensional figures made after a few hours' practice with the airbrush, by Eugene Hartung, Art Student.




Airbrush window poster showing a variety of airbrush lettering effects, by Vonce Keller.

A typical Airbrush Classroom of one of Chicago's leading Art Academies.

J. Zellers Allen
Instructing







DBS 6 oz. Sprayer.....\$3.95
 DB 1/4"-40 Adapter......45
 A 1/8" Airhose with couplings..... 1.40
 Unit as illustrated.....\$5.80



The DBS is ideal for application of fixatives and other light fluids.




Proper position for MT Moisture Trap after inserting into hose.




HLC20° 1/8"-1/4"-40 coupling.

HLC 1/8" x 1/4" Coupling



HF 1/4" Valve.....\$1.00

Airpainting Equipment and Accessories



ALS Adjustable Line Striper. Complete in case.....\$13.75

Artists, Painters and Sculptors increase the beauty and sales value of their products with this newly-perfected Universal Striper that has interchangeable, adjustable striping tip that regulates width of line. Adjustable, revolving, swivel guide to keep width of border uniform; interchangeable gravity or pressure color-cup.

Length 6 1/2". Net Wt. 2 oz.

Extra Parts

ALSH 1/64" to 3/32" Striping Head.....\$3.40
 ALS 1/64" to 3/32" Striping Nib, only..... 1.75
 ALS32 Pressure Cup, for feeding heavy fluids..... 4.45

FP Flow Pencil. Complete with cup and tip in case.....\$10.50

A handy home, studio or factory tool for filling in colors on furniture, nameplates and engraved, grooved or embossed surfaces. Finger lever color control. Interchangeable round opening tips. Special shaped tips made to order. 1/64" tip furnished unless otherwise specified.

Length 6 1/2". Net Wt. 2 oz.

Extra Parts

FP 1/64", 1/32" or 1/16" Line Tip, each.....\$.90

DBS Sprayer Pat. Applied For.

DBS—6 oz. Sprayer.....\$3.95
 DB 1/4 x 1/4 x 40 Adapter......45
 For coupling A 1/8" Artist's Airhose to DBS Sprayer.
 DB 32 Tire Chuck Adapter......45
 For attaching hose to auto tire for air supply.

A new streamlined sprayer with combination internal and external atomizing features—operates on low air-consumption, low pressure, produces less mist and saves materials. This new design, low-priced sprayer is the answer to the artist's request for an adequate fixative sprayer.

At 3 to 6 lbs. pressure a stipple effect is obtained; at 10 to 20 lbs. pressure a smooth spray is produced.

Hobbyists, novelty manufacturers, molders and many others have found this sprayer efficiently handles medium consistency lacquer, varnish, paint, bronze, chemicals, etc.

The DBS with D Aircompressor, listed on Page 16, makes an ideal household painting unit for refinishing chairs, wicker furniture, baskets, screen doors, etc. At today's high cost of painting this handy, light portable painting unit will save money and pay for itself within a few days' work around the house.

MT Moisture Trap.....\$2.75

A handy unit (4 inches long) designed for use with Art Airbrushes to remove water from airline. Cut airhose near airbrush and insert as illustrated.

Airhose


Airhose is not included with Airbrush.

Order from list below, indicating length required.

Airhose for all Artist's Airbrushes—AB, V, VL, H, F and AE.

A 1/8"—6' Airhose with couplings.....\$1.40

Braided Airhose, 1/8" ID, 1/4" OD. Working Pressure 200 Lbs.
 Add or deduct for longer or shorter hose, per foot.....\$.10
 HL-C20° 1/8"-1/4"-40 Coupling (Airbrush End)......40
 HL-C 1/8"-1/4" Coupling (Compressor End)......40
 HF 1/4" Valve..... 1.00



Abrasive Gun Patented and Air-Eraser

CARVING DESIGNS ON GLASS

The technique of carving designs on glass is in many instances similar to airbrushing. Carborundum or other abrasives are used to cut design in glass.

LA3' and LA7' Abrasive Gun

This new and improved abrasive gun can be adjusted to direct a limited spray of abrasive for detail work or a strong blast when treating larger surfaces. Trigger controls volume of air. Nozzle can be adjusted and locked to control volume of abrasive. Closing the nozzle shuts off abrasive and converts gun to an airblower for cleaning. Designs, initials and figures can be etched on glass, stone, metal, plastics and other material, using aluminum oxide, steel, grits, Carborundum or fine sand for cutting medium. Soft etched effects can be made with this gun to beautify hundreds of objects. Sign men earn real money in the creation of directional signs, nameplates, directory panels, decorating silver and cutting monograms, etc. Gun also removes rust and cleans surfaces quickly.

LA3' or LA7' Abrasive Gun with LA Pint Cup \$17.50

LA3' requires HL $\frac{3}{16}$ " hose; LA7' requires HT $\frac{1}{4}$ " hose, listed on Page 12.

LA3' requires $\frac{1}{2}$ HP Compressor, LA7' requires 1 HP Compressor to operate gun at high speed.

Net Wt. 14 oz. Shipped with directions for operating.

Extra Parts

LA17 3' or LA17 7' Head Assembly	\$ 2.10
LA3' or LA7' Aircap with hardened insert	.75
F1018R Hood with Mask	11.00
LA Pint Cup only	3.45



F1018R Hood with Mask.

AE Air-Eraser

With this new improved **Air-Eraser** you can erase a fine line or work over a wide area, erasing ink, paint or color, blending highlights or shadows. It removes color like magic without marring the surface. No smudge or streaks. It is an airbrush in reverse, erasing color instead of applying it. Has aluminum gravity feed cup with regulator which controls feed of abrasive powder for erasing varied types of work. **AE Air-Eraser** also etches glass and metal. Handy for cleaning jewelry and fine machine parts, dentures, and removing errors from lithographers' plates.

AE Air-Eraser with aluminum cup and hardened steel tip \$10.50

Net Wt. 2.5 oz.

AE 11 Tip (Hardened Steel) \$.95


Air-Eraser Compound

6 oz. Jar	\$.35	3 to 6 jars less 5%
5 Lb. Carton	1.75	3 to 5 cartons less 5%
25 Lb. Carton	7.50	3 or more cartons less 5%
100 Lb. Carton	25.00	3 or more cartons less 5%


Write for description of Production Abrasive Collector Bench, stating electric current available and number of abrasive guns or air-erasers to be operated.



Geo. Kadel using LA7' Abrasive Gun to execute mural on glass mirror.




LA3' Abrasive Gun



Finished Mural by Kadel in Dining Room, Del Prado Hotel, Chicago.




AE Air Eraser



AURF and AUTRF Airbrushes

Patented



AUTRF Airbrush with AUG 3 oz.
Gravity Cup.



AURF Airbrush with AUSS Pt. Syphon
Cup



BF Airbrush with USC Qt. Syphon
Cup

Light Painting, Stenciling and Decorating Airbrushes

These are the smallest of the Paasche Universal Airbrushes, which cover the widest range and variety of painting, decorating and finishing. They are the fastest of the Paasche Art Airbrushes, giving a wide fan or round spray pattern not obtainable with the H or VL5 type Airbrush. The pattern from this airbrush varies from $\frac{1}{32}$ " line to a 6" wide spray, depending upon the Multiplehead and airpressures used. It is convertible to gravity, syphon, pressure cup or tank color feed.

These airbrushes are recommended for artists airpainting subjects with broad backgrounds such as murals and dioramas, fine shading in decorative design, automobile and airplane touch-up, removing scratches and air-painting of toys, novelties, dolls, etc.

Three sizes of multipleheads provide wide range of airfinishing, aircoating and airdecorating of the smallest to the largest surfaces—with medium consistency of finishing materials. Convertible to internal atomizing by simple change of aircaps, which provide speedy broad surface covering with less airpressure and off-spray, for which pressure cup or tank is required.

These Airbrushes provide hundreds of aircoating and decorative effects and are indispensable when the best in airpainting is required.

Requires from $\frac{1}{4}$ HP to $\frac{1}{2}$ HP Aircompressor, depending upon size of Multiplehead used and pressure required. Listed on pages 16 and 17.

AURF size 1 at 30 lbs. pressure requires $1\frac{1}{2}$ CFM. AURIF internal atomizing heads require one-third less pressure and volume than external atomizing heads.
AURF size 2 at 30 lbs. pressure requires $2\frac{1}{4}$ CFM.
AURF size 3 at 30 lbs. pressure requires 3 CFM.

AURF size 1, 2 or 3 Multiplehead Airbrush.....\$21.50
AUTRF size 1, 2 or 3 Multiplehead Airbrush..... 19.25

AUSS Pt. Snap-Lock Syphon Feed Metal Cup.....\$5.25
ASCT $\frac{1}{2}$ Pt. Screw-Cover Syphon Feed Metal Cup..... 3.00
AUSG Pt. Snap-Lock Gravity Feed Metal Cup 6.25
ASCG $\frac{1}{2}$ Pt. Screw-Cover Gravity Feed Metal Cup..... 3.70
AUG 3 oz. Gravity Feed Metal Cup..... 3.25
Net Wt. of Airbrush only 12 ounces.

BF Airbrush


For use with Internal or External Atomizing Multipleheads.

These airbrushes are the conventional type without the Paasche Universal features. Has a fine accurate control of material from a line to a graduated wide spray pattern 6 to 8 inches wide. Will handle paints, lacquers and liquids of medium consistency. Recommend PE $\frac{1}{2}$ HP Aircompressor listed on pages 16 and 17.

Internal atomizing multipleheads operate with one-third less airpressure and off-spray, for which pressure cup or pressure tank is required.

BF size 0 at 40 lbs. pressure requires 4 CFM.
BF size 2 at 40 lbs. pressure requires 5 CFM.
BF size 4 at 40 lbs. pressure requires 6 CFM.

BF 0, 2 or 4 AIRBRUSH.....\$18.00
USC Qt. Screw-Cover Syphon Cup..... 3.50



KS and KT Airguns L Sprayer

Patented

KS Airgun

**Bleeder Type, Convertible to External or Internal Atomizing
Adjustable from 1/4" to 6" wide fan spray.
Suitable for cup or pressure fluid tank.**

For airpainting your home, reed furniture, screen doors, automobiles, in studio work for displays and sign painting, theater studios, manual training schools, building maintenance, moth-proofing, insecticides, paints, lacquers, flock adhesives, etc. By addition of a **KSF Head**, this Airgun is convertible from a pressure to a syphon feed in a few seconds by simple adjustment of the needle valves. Will pay for its cost quickly and save money on any light paint job. Supplied with internal atomizing aircaps.

KIF fan and KIR round spray aircaps, use 1.5 to 2 1/2 CFM at 30 lbs. airpressure.

Requires D or DD 1/4 HP Aircompressor.

KS Qt. Airbrush with KIF and KIR Aircaps. \$11.75

KS Pt. Airbrush with KIF and KIR Aircaps. 11.50

KSF Head with Tip—Syphon Fan Spray, external atomizing, for use with KS Airgun. 3.60

Net Weight 1 1/2 lbs.

KT Airgun

Bleeder Type Internal Atomizing Only

This Airbrush embodies most of the features of the KS, can be used as a pressure feed internal atomizing airbrush. It is not convertible to syphon feed use. It is primarily used with materials of medium consistency. A very handy paint gun for all around home use. Will pay for itself in a few days' use.

KT Qt. Airbrush, with KIF fan spray and KIR round spray Internal Atomizing Heads. \$9.00

KT Pt. Airbrush with KIF fan spray and KIR round spray Internal Atomizing Heads. \$8.75

Net weight 1 lb. 2 oz.

L Sprayer

A low price dependable syphon-type Sprayer for painting small surfaces such as store fixtures, artificial foliage, grill work used in foundries for coating molds, etc. Applies varnishes, lacquers, chemicals, disinfectants, moth-proofing materials and liquids of light consistency. Also used for oiling and cleaning machinery. By removing handpiece it becomes a very useful duster for blowing away dirt accumulation from inaccessible places in armatures, motors, machinery, etc.—requires airpressure from 1 to 6 c.f.m., depending on size of nozzle used. Five size interchangeable tips give the **L Sprayer** a wide range.

L-SC Qt. Sprayer, with Syphon Metal Cup. \$8.75

L-SC Pt. Sprayer, with Syphon Metal Cup. 8.65

L-GJ Qt., Pt. or 1/2 Pt. Sprayer with Glass Jar. 8.00

LD-SC Qt. Sprayer with Syphon Metal Cup for downward

Spraying. 9.00

L Handpiece. 6.00

SC Qt. Screw Cover Syphon Cup only. 1.10

SC Pt. Screw Cover Syphon Cup only.95

GJ Qt. Glass Jar.20

GJ Pt. or 1/2 Pt. Glass Jar.15

L1, L2, L3 or L4 Tip, each.25


L Tip size 1 at 30 lbs. airpressure requires 1.5 CFM.

L Tip size 2 at 30 lbs. airpressure requires 2.5 CFM.

L Tip size 3 at 30 lbs. airpressure requires 4 CFM.

L Tip size 4 at 30 lbs. airpressure requires 6 CFM.

Net Weight 1 lb. 2 oz.



KS Qt. Airbrush



KT 1 Pt. Airbrush



L-SC Pt. Sprayer



LFA Flock Airgun

Patented

Airhose - Couplings - Valves



Soft fur like flock effect
used on thousands of
greeting cards.



LFA Flock Airgun

HLC $\frac{3}{16}$ " - $\frac{1}{4}$ " Coupling

HLC 20° Coupling.

HL $\frac{3}{16}$ " Airhose

HTC $\frac{1}{4}$ " Coupling

HTC 20° Coupling

HT $\frac{1}{4}$ " Airhose



HF 90° - $\frac{1}{4}$ " Elbow

HF $\frac{1}{4}$ " Valve

HF90° - $\frac{1}{4}$ " Elbow.....	\$.30
HF $\frac{1}{4}$ " Valve.....	1.00
Unit Illustrated.....	\$1.30

LFA Flock Airgun

Flock is finely cut-to-length fibers of rayon, wool, silk or cotton. Sprayed onto an adhesive-coated surface with the Paasche Flock Gun, it forms a soft velour or suede-like finish. Flock is used extensively for decorative as well as industrial purposes. Many novel effects can be obtained with this velour-like finish and its brilliant colors for window displays. With the use of stencils or silk screen, flock may be sprayed to give distinction to designs, letters, trade marks, emblems and the like. Makes upholstery of your automobile look like new. Also applied to furniture, toys, greeting cards, theatrical scenery, display backgrounds, pennants, etc.

Flock produces a durable and attractive surface. Requires $\frac{1}{4}$ HP Compressor or larger for fast work.

LFAC 2 Qt. Flock or Powder Airbrush with Metal Container....\$20.75

LFAC 1 Qt. Flock or Powder Airbrush with Metal Container.... 19.40

LFAJ Flock or Powder Airbrush with Quart Jar..... 18.50

Net Wt. 1 lb. 14 oz. Shpg. Wt. 3 lbs.

Airhose

LF or KS, KT, AU, LFA Flock Gun, LA Abrasive Gun and DBS Sprayer.

For High Production Flock Equipment send for Bulletin FF 11-49

HL $\frac{3}{16}$ " 8' Airhose with Couplings.....\$1.90

For lengths over 12' we recommend HT $\frac{1}{4}$ " hose,

Add or deduct for longer or shorter hose, per ft.....\$.12 $\frac{1}{2}$

HL $\frac{3}{16}$ " Braided Airhose, $\frac{3}{16}$ " ID, $\frac{3}{8}$ " OD. Working pressure 175 lbs.

HL-C20° $\frac{3}{16}$ " - $\frac{1}{4}$ " Coupling..... .45

HL-C $\frac{3}{16}$ " - $\frac{1}{4}$ " Straight Coupling..... .45

HF $\frac{1}{4}$ " Line Valve for attaching to $\frac{1}{4}$ " pipe of air line.....\$1.00

Larger Airhose for BF, AU, BU and LA Abrasive Gun.


HT $\frac{1}{4}$ " 8' Airhose with couplings.....\$2.58

Add or deduct for longer or shorter hose, per ft..... .21


HF $\frac{1}{4}$ " Braided Airhose, $\frac{1}{4}$ " ID, $\frac{1}{2}$ " OD. Working pressure 200 lbs.

HT-C20° $\frac{1}{4}$ " Coupling..... .45


HT-C $\frac{1}{4}$ " Coupling..... .45



HFM2 $\frac{1}{4}$ " Manifold, two outlets 3.00



HFM3 $\frac{1}{4}$ " Manifold, three outlets..... 4.50



Liquid Carbonic Units Airregulators — Airconditioners Units

Patented

Patented

LCG Liquid Carbonic Gas Unit	\$16.50
RG 1/4" Regulator, RG 60 lb. gauge, HF 1/4" Valve, N 1/4" Nut, HN 1/8" Nipple.....	\$13.25
RG41 Tank Clamp.....	1.50
UWIR Wrench.....	1.20
8' Slate Tubing.....	.64

Specially designed for Airbrush use, complete with Gauge, Airregulator, Wall Clamp, Wrench and 8' Slate Tubing. Recommended when electric current is not available or when Airbrush is used only occasionally. A 20 Lbs. cylinder of liquid carbonic gas can be obtained from bottler or soda fountain supply house and should last from one to three months, depending upon the size of Airbrush and length of time it is used. Many supply houses furnish tanks on a rental basis.

LCT Liquid Carbonic Tank Unit	\$27.15
with HF 1/4" Valve, HN 1/8" Nipple, N 1/4" Nut. RD 1/4" Airregulator and Gauge.....	\$ 7.95
1/8"-6' Slate Tubing.....	.48
6 Lbs. Carbonic Cylinder.....	18.75

This new, streamlined Studio Carbonic Gas Unit was designed specifically for the individual Artist whose use of compressed air is somewhat limited. Unit is compact, easily moved from one location to another, attachment to Airbrush is simple. Accurate control of volume of air is provided with a specially designed Paasche Airregulator. Streamlined base enables tank to stand on any level surface without use of clamps or holding devices. Tank may be recharged at any soda fountain or liquid carbonic distributor for approximately \$.75 and should last about one-third as long as the larger size liquid carbonic gas tank normally used.

Airregulators

These compact new improved Paasche patented Airregulators are superior in performance and will accurately provide fixed regulation of the pressure for airpainting equipment, and in this way assure proper atomization, uniform coverage and maximum economy. Adjusting Assembly regulates pressure from 2 to 60 lbs. as required. A turn of the lock screw locks the regulator for any predetermined pressure. Screened inlet-union prevents rust and scale in pipe line from entering the regulator parts. Ideal for controlling airpressures for a number of airbrushes.

RB3 1/4" Regulator, 2 HF 1/4" valves, 60 lb. gauge. Capacity 12 c.f.m. at 80 lbs. pressure, 8 to 12 Artists' Airbrushes..... **\$12.15**
Add for each additional outlet..... **\$1.70**

RB3 3/8" Regulator, 150 lb. gauge, 2 HF 1/4" valves. Capacity 45 c.f.m. at 80 lbs. pressure, 18 to 24 Artists' Airbrushes..... **\$16.15**
Net Wt. 1 1/2 lbs. Shpg. Wt. 3 lbs. Export Shpg. Wt. 4 lbs. 1/2 cu. ft.


Manual or Automatic Airconditioner Units

These new Paasche patented Airconditioner Units require no replacement of packings, as it automatically cleans itself every time accumulation is released by opening of the drain valve.

AM6' RB3 1/4" Manual Airconditioner Unit, complete with regulator, gauge, HF 1/4" valve, and mounting bracket.
Capacity 8 to 12 artists' airbrushes..... **\$20.90**
Net Wt. 4 lbs. Shpg. Wt. 6 lbs. Export Shpg. Wt. 12 lbs. 3/4 cu. ft.

Paasche patented Automatic Airconditioner Units do not require manual attention, as it automatically opens to drain water and oil accumulations, keeping the airline dry and clean without daily attention.


AA12' RB4 1/4" Automatic Airconditioner Unit complete with three 1/4" regulated outlets, gauge and bracket. Capacity 24 Artists' Airbrushes. **\$32.20**




LCG




LCT



RB3 1/4"



AM6' RB3 1/4"



Airbrush Colors



LAC



LWRC



TC

You will find described here
Airbrush colors that will meet your requirements.

Liquid Alcohol Colors

Leading sign shops prefer Paasche Alcohol Colors for their superior luster, water resistance, clear glossy finish and interior permanency. These colors may be applied to Wood, Cardboard, Leather, Cellophane, Fabrics, Plaster and numerous other materials. By mixing these colors a profusion of color blends are obtained. (Not suitable for use with AB Airbrush.)

	Red Yellow Blue Orange	Purple Pink Dark Green	Light Green Brown Black	Each	Set of 10 Colors
1/4 Pint.....				\$.60	\$ 5.40
1/2 Pint.....				.95	8.40
Pint.....				1.55	13.95
Quart.....				2.50	22.80
Alcohol Color Thinner per Quart.....					.85

Liquid Weather Resistant Colors

These are brilliant lacquer based colors, primarily developed for light and weather resistance—washable. Paasche highly recommends these colors for use on Cloth, Silk and other fabrics, Metal, Plastic, Cardboard, Wood, Plaster and many other materials. This fast drying color should be used with Paasche type V2, VL, H and F2 Airbrushes for airpaintings that must withstand wear and hard use.

	Red Yellow Blue	Orange Purple Pink	Green Brown Black	Each	Set of 9 Colors
1/4 Pint.....				\$.80	\$ 6.85
1/2 Pint.....				1.55	13.25
Quart.....				4.70	40.20
				Pt. Qt. Gal.	
Resistant Color Reducer.....				\$.45 \$.85	3.20

Tempera Colors


Students, sign writers and many other users of Tempera Colors will be especially glad to know that Paasche has the outstanding Tempera Color for their needs. This is minutely ground and screened Tempéra, so vital to a velvet smooth Airbrush finish. Also, these colors are non-bleeding, will not crack off, will intermix, yet are brilliant and of superlative opacity. Recommended for use with Paasche AB, H, VL Airbrushes. Not suitable for the finer and smaller V and F Airbrushes.

Dark Red	Yellow	Turquoise Blue	Black
Red	Yellow Orange	Dark Green	Grey
Red Orange	Orange	Blue Green	White
Yellow Red	Blue	Green	Gold
Rose	Violet	Light Green	Silver
Primrose	Magenta	Brown	

12 SELECTED COLORS

(Sold only in sets)

	Red Yellow Blue Orange	Violet Turquoise Blue Green Light Green	Brown Black Grey White	Gold & Silver	Set of 12 Selected Colors
2 oz. Jar.....				Each \$.30	
1/2 Pint.....				\$.55	\$ 3.40
Pint.....				1.45	7.90
Quart.....				2.40	13.55
				3.75	19.60



Airbrush Colors



These colors are scientifically manufactured for Airbrush use to insure smoothness of application, brilliancy, permanency and unsurpassed texture.

Liquid Water Colors

Many leading Artists and Illustrators use Paasche Liquid Water Color because of its outstanding richness, sun resistance and non-settling qualities. Paasche Water Colors flow freely through the airbrush—very important for fine detail.

	Red Yellow Blue	Orange Purple Pink	Green Brown Black	Each	Set of 9 Colors
¼ Pint.....				\$.50	\$ 4.25
½ Pint.....				.75	6.40
Pint.....				1.40	11.95
Quart.....				2.20	18.80

Ever-Moist Water Colors

Extra fine brilliant colors that will not harden upon exposure. They are non-glossy, concentrated and soluble in water only. They can be used in a lettering pen, hand brush or any artist's airbrush for photographic coloring, designing layouts, illustrating, renderings and other art work.

	Orange Crimson Lake Vermilion Lemon Yellow	Sepia Sky Blue Hooker Green I Ultramarine	Hooker Green II Burnt Sienna Lamp Black White
Set of 12 colors.....			\$10.25
2 ounce tube—each (any color).....			.95

Powder Colors

Are the most inexpensive aniline colors, noted for their very brilliant and lightfast qualities. One ounce makes one-half gallon or more of liquid color. Use in any airbrush. These can be purchased in seven standard colors or sets.

	Red Yellow	Purple Green Blue	Brown Black
Set of Seven 1 oz. Boxes.....			\$4.35
1 oz. Box—each (any color).....			.70
Reproduction White			
1 Ounce Tube.....			\$.45

Gray Colors

A most ready mixed color developed for Black and White Retouching, elementary instruction, creative studio layouts and all other work requiring a graduated gray blending.

Graduated Gray-White, #2, #4, #6, #8 and Black. 1 oz. Tube. \$.50

Stencil Swivel Knife Patented

Cuts any material from light silk screen to heavy metal foil. Blades are of the finest hardened tool steel, hand honed to razor edge. Swivel blade locks for straight line work or releases for swivel work for cutting perfect circles or arcs. Cutting point at angle permits full view of work.

Price complete.....\$1.10 Extra Blades, each.....\$.45



LWC



EWC




PC




GC



RW



Stencil Swivel Knife




Light Portable


Artist's Diaphragm

1 to 40 Lbs. Pressure *Aircompressors*

For Studio, Office, Laboratory, School or Home Use




D 1/4




DAE 1/4

D Compressors Capacities

One L1, AE, H, VL, or two AB, V or F Airbrushes. Displacement 1.33 c.f.m. at 25 Lbs. Pressure, develops up to 35 Lbs. pressure.



DD 1/4



DDAE 1/4

DD Compressors Capacities

One AURF, AUTRF or AURIF 1, Airbrushes, KS, KT Airguns, Two AE, VL or H Airbrushes, Four AB, V or F Airbrushes. Displacement 2.66 c.f.m. at 25 Lbs. Pressure, develops up to 40 Lbs. pressure.

These new, streamlined, latest design, Paasche Studio Aircompressors, give the most efficient and economical air supply—and are quiet in operation—thousands are already in use. Compressor connecting rod is equipped with sealed self-oiling ball bearing which requires no oiling. Diaphragm Aircompressors supply filtered clean airpressure. No oil vapors to disintegrate rubber hose, cause clogging of air passages of airbrush or spoilage of work.

Quiet Operation. Specially designed valves make the Paasche Diaphragm Aircompressor quiet in operation. This feature permits the use of these aircompressors in the quiet of your home, photo gallery or newspaper offices. A specially designed rubber diaphragm provides approximately 500 hours service. Extra diaphragm furnished with each unit, replaced in a few minutes by anyone using only a screwdriver. Units are attractively airfinished in two-tone green enamel and will please the most discriminating art critic.

DAE and DDAE Automatic Electric Units. Start and Stop automatically and are the most economical, they operate only when air is being used. Sturdily constructed, quiet in operation, fully automatic, light weight and can be readily moved from one location to another. Has automatic off and on electric switch with bleeder for starting motor without load on compressor. Years of satisfactory, fool-proof, money saving service assured.

D 1/4 HP Single Diaphragm Aircompressor \$39.75

110 V, 60 CY., S.P. Motor, On and Off Switch, 10' Electric Cord and Plug. Complete as illustrated.

Net Extra for 115 V, DC Motor \$19.50

Net Wt. 27 lbs. Shpg. Wt. 35 lbs. Export Shpg. Wt. 45 lbs.

DAE 1/4 HP Single Diaphragm Automatic Electric Aircompressor \$99.50

110 V, 1 Phase, 60 Cycle Motor, 10' Electric Cord and Plug, Automatic Off and On Bleeder Switch, Safety Compartment Airreceiver Base, Airregulator with Gauge and 2 HF 1/4" Outlet Valves. Complete as illustrated.

Net Extra for 115 V, DC Motor \$19.50

Dimensions: 16" x 7" x 14" High. Shpg. Wt. 39 lbs.

Export Shpg. Wt. 67 lbs. Boxed for export 19" x 9" x 16" High.

DD 1/4 HP Dual Diaphragm Aircompressor \$63.50

110 V, 60 CY., S.P. Motor, On and Off Switch, 10' Electric Cord and Plug, Handle, Air-Inlet Filters, Adjustable Air Release Valve, Air Gauge and Two Extra Diaphragms, mounted on cushion rubber feet. Complete as illustrated.

Net Extra for 115 V, DC Electric Motor \$25.50


Net Wt. 30 lbs. Shpg. Wt. 45 lbs. Export Shpg. Wt. 54 lbs. 1.75 cu. ft.

DDAE 1/4 HP Twin Diaphragm Automatic Electric Aircompressor \$132.00

110 V, 60 CY., S.P. Motor, 10' Electric Cord and Plug, Handle, Air-Inlet Filters, Adjustable Air Release Valve, Automatic On-and-Off Switch with Bleeder, Safety Compartment Airreceiver Base, Airregulator with Gauge and 2 HF 1/4" Outlet Valves. Complete as illustrated.

Dimensions: 20" x 8" x 16" High. Shpg. Wt. 49 lbs.

Export Shpg. Wt. 72 lbs. Boxed for export 24" x 10" x 20" High.



Light Portable

Artist's Aircompressors

Patented

Airpressures 1 to 60 Lbs.

For Studios, Sign Shops, Auto Retouching, Plant Maintenance, Manufacturers, etc.

These latest improved Paasche high pressure studio aircompressors are most serviceable when airpressure needed is higher than 40 lbs. Compactly built of highest quality material and workmanship, they are guaranteed to give years of uninterrupted service. They are similar in styling and have a very attractive appearance—dependable performance assured. They are very efficient and popular for stationary or portable use.

These higher airpressure units are ideal for the application of heavier materials. The specially designed safety compartment base, makes the air tank explosion-proof as air will escape before pressure can go high enough to cause it to explode.

PAE ¼ HP and PAE ½ HP Units equipped with Automatic Start and Stop Switch with bleeder is more economical in operation as motor starts without load on compressor and operates only as airpressure from air-receiver base is used up, thereby saving electric power and unnecessary wear of motor and compressor.

PE ¼ HP and PE ½ HP Unit operates continuously. It is started by inserting plug into electrical outlet. A specially designed pop-off valve is regulated to provide uniform airpressure, bleeding off excessive pressure. Surplus air clears through regulated pop-off valve.

PE ¼ HP Portable Electric Aircompressor, 2.5 CFM @ 40 lbs. . . \$63.00

110 V, 60 CY., S.P. Motor, V Belt-Driven, 10' Electric Cord with Plug, Air Filter, Moisture Separator with adjustable Automatic Drain and Safety Valve, Gauge and Handle for carrying.

Net Extra for 115 V, DC Motor \$26.00

Net Wt. 45 lbs. Shpg. Wt. 65 lbs. Export Shpg. Wt. 85 lbs. 1¾ cu. ft.

PAE ¼ HP Automatic Electric Aircompressor, 2.5 CFM @ 40 lbs. \$120.00

110 V, 60 CY., 1 Ph. Motor, Single Cylinder 2" Bore x 1¾" Stroke Compressor, Air-Inlet Filter, V Belt Drive, ¼ HP Capacitor Motor, Automatic Off and On Electric Switch with Bleeder for starting motor without load on compressor. Air-regulator, Safety Pop-Off Valve, RBL ¾" Regulator, 2 HF ¼" Air Outlet Valves, 60 lb. Gauge, Compartment Airreceiver Base with Manual Drain Valve.

Net Extra for 115 V, DC Motor \$24.50

Net Extra for 110 or 220 V, 50 CY., 1 Ph. 6.50

Extra for Belt Guard, when desired. 1.75

Net Wt. 75 lbs. Shpg. Wt. 82 lbs. Export Shpg. Wt. 110 lbs. 3½ cu. ft.

PE ½ HP Portable Electric Aircompressor, 4 CFM @ 40 lbs. . . \$179.75

110 V, 60 Cycle, 1 Phase Motor, or 220 V, 60 Cycle, 3 Phase Motor. Twice the Capacity of the PE ¼ HP Unit.

Net Extra for 115 V or 230 V, D.C. Motor \$25.00

Dimensions: 18" x 25" x 20" High. Shpg. Wt. 95 Lbs.

Export Shpg. Wt. 140 lbs. Boxed for Export 3¾ Cu. Ft.


PAE ½ HP Automatic Electric Aircompressor, 4 CFM @ 40 lbs. \$198.50

110 V, 60 CY., 1 Phase Motor, 10' Electric Cord and Plug, Duplex Cylinder Air-cooled, 2¾" Bore x 2" Stroke Aircompressor, V Belt Drive, Compartment Air-receiver Base, Automatic Pressure Switch with Bleeder Valve, Check Valve, Handle with rubber grip, RBL ¾" Airregulator with 60 lbs. Gauge, 2 HF ¼" Air Outlet Valves and Adjustable Safety Pop-Off Valve. Mounted on rubber wheels for convenience in moving.


Dimensions: 18" x 27" x 25" High Shpg. Wt. 125 lbs.

Export Shpg. Wt. 170 lbs. Boxed for export 7 cu. ft.

Larger Aircompressors, from 1 to 15 H.P., are available for industrial high production airpainting requirements. Write for **Bulletin SA5-49**.




PE ¼




PAE ¼

PE ¼ HP Compressors Capacities

One AURF, AUTRF or AURIF Size 1 Airbrushes, KS or KT Airguns, Two DBS or L Sprayers, AE, VL or H, Five AB, V or F Airbrushes. Displacement 2.4 c.f.m. at 40 Lbs. pressure. Develops up to 100 Lbs. pressure by change of pulley.




PE ½
Reversible Handle
for Portability



PAE ½
Reversible Handle
for Portability

PAE ½ HP Compressors Capacities

One AURF, AUTRF or AURIF 1 or 2, BUFO, BFO or BURIFO, three KS or KT Airguns, DBS or LI Sprayers, or one LFA Flock gun, four VL, H or AE Air-Erasers, ten AB, V or F Airbrushes. Displacement 3.8 c.f.m. at 50 Lbs. pressure, develops up to 80 Lbs. pressure by change of pulley.



Airpainting Units

Patented


Complete Artist's Portable Airpainting Units




FLC-U Airpainting Unit



FD 1/4-U Airpainting Unit



DBSD 1/4-U Airpainting Unit



VLDD 1/4-U Airpainting Unit

Many schools have inaugurated an extensive Airbrush course by starting with these initial, inexpensive units. Aircompressors can be equipped with two or more outlets (depending upon size of compressor), and by fair division of time among students, all can be given some benefit of this important phase of art. Larger compressors that will provide sufficient air for an entire classroom are available; write for Bulletin SA5-49.

F-LC-U Airpainting Unit complete as listed below.....\$40.35

- F2 Airbrush with 1/4 oz. Color-cup, Hanger.....\$13.20
- A 1/8" 6' Airhose with Couplings..... 1.40
- LCG Liquid Carbonic Gas Outfit with regulator, Gauge, Wrench and 6' Slate Tubing..... 16.50
- Set of 9—1/4 Pint Liquid Water Colors..... 4.25
- ED-1 22" x 30" Drawing Board only..... 5.00

F-D 1/4-U Airpainting Unit complete as listed below.....\$54.35

- F2 Airbrush with 1/8 oz. color-cup, hanger and directions.....\$13.20
- A 1/8" 6' Airhose with Couplings..... 1.40
- D 1/4 HP Single Diaphragm Aircompressor, AC, 110 V, 1 PH., 60 Cycle Motor..... 39.75

H-D 1/4-U Airpainting Unit complete as listed below.....\$57.15

- H3 Airbrush with 1/4 oz. Color-cup, 3 oz. Color Bottle, Hanger and instructions.....\$16.00
- A 1/8" 6' Airhose with Couplings..... 1.40
- D 1/4 HP Single Diaphragm Aircompressor, AC, 110 V, 1 PH., 60 Cycle Motor..... 39.75

V-D 1/4-U Airpainting Unit complete as listed below.....\$69.15


- V size 1 or 2 Airbrush with Extra Needle, Color-cup, Reamer and hanger.....\$28.00
- A 1/8" 6' Airhose with couplings..... 1.40
- D Single Diaphragm Aircompressor, 110 V, 1 PH, 60 Cycle Motor..... 39.75

DBS-D 1/4-U AIRPAINTING UNIT complete as listed below.....\$45.60

- DBS Sprayer with 6 oz. Glass Jar.....\$ 3.95
- HL 3/16" 8' Airhose with Couplings..... 1.90
- D 1/4 HP Single Diaphragm Aircompressor, 110 V, 1 PH, 60 Cycle Motor..... 39.75

VL-DD 1/4-U Airpainting Unit complete as listed below.....\$96.90

- VL size 1, 3 or 5 Airbrush with Extra Needle, extra Self-Centering Tip, Color-Cup, Reamer, 3 oz. Color Bottle and Hanger.....\$32.00
- A 1/8" 6' Airhose with couplings..... 1.40
- DD 1/4 HP Dual Diaphragm Aircompressor, 110 V, 1 PH, 60 Cycle Motor..... 63.50



Airpainting Units

Patented

Portable Electric Airpainting Units

Unsurpassed Values in High Quality Units that Speed Painting & Assure The Finest Results.

The following Units are ideal for vocational schools and manual training shops, also very handy for Art—Display and Sign Studios, Theaters, Repair and Furniture Shops. They are easily moved from one location to another and plug into ordinary light socket or electrical outlets. All units will handle materials of light or medium consistencies and are manufactured of the best materials and workmanship available.

L-D $\frac{1}{4}$ U Airpainting Unit complete as listed below.....\$50.40

LSC Qt. L Sprayer with Metal Cup.....	\$ 8.75
HL $\frac{3}{16}$ " 8' Airhose with Couplings.....	1.90
D $\frac{1}{4}$ HP Single Diaphragm Aircompressor, 110 V, 1 PH, 60 Cycle Motor.....	39.75

KS-DD $\frac{1}{4}$ U Airpainting Unit complete as listed below.....\$77.15

KS Qt. Airgun with Metal Cup.....	\$11.75
HL $\frac{3}{16}$ " 8' Airhose with Couplings.....	1.90
DD $\frac{1}{4}$ HP Dual Diaphragm Aircompressor, 110 V, 1 PH, 60 Cycle Motor.....	63.50


BF-PE $\frac{1}{2}$ U Airpainting Unit complete as listed below.....\$203.75

BFO Qt. Airbrush with USC Qt. Metal Cup.....	\$ 21.50
HT $\frac{1}{4}$ " 8' Airhose with Couplings.....	2.58
PE $\frac{1}{2}$ HP Electric Aircompressor, AC, 110 V, 1 Ph., 60 Cycle Motor, mounted on rubber tired wheels, Handle, etc.....	179.75

AU-PAE $\frac{1}{2}$ U Airpainting Unit complete as listed below.....\$226.00

AURF 1 Airbrush with USC Qt. Syphon Cup.....	\$25.00
HT $\frac{1}{4}$ " 8' Airhose with Couplings.....	2.58
PAE $\frac{1}{2}$ HP Automatic Electric Aircompressor, AC, 110 V, 1 PH, 60 Cycle Motor, Compartment Air-receiver Base mounted on rubber tired wheels, Handle, complete	198.50

NOTE: Detailed specifications and Capacities of Aircompressors listed on this page can be found on Pages 16 and 17. Hose is listed on Page 12.




L-D $\frac{1}{4}$ U Airpainting Unit




KS-DD $\frac{1}{4}$ U Airpainting Unit




BF-PE $\frac{1}{2}$ U Airpainting Unit




AU-PAE $\frac{1}{2}$ U Airpainting Unit




Easel and Drawing Boards Airbrush Books




EDBR in Drawing Table Position



EDBR in easel position



Airpainting Instructions for Beginners



Paasche Convertible Easel and Drawing Board Streamlined, Rigid, Sturdy Construction, Attractively Finished.

Ideal for Studio, School and Home Use.

This new easel and drawing table has a rigid, pressed steel stand, sturdy construction, attractively finished in two-tone green enamel. Heavy seven-ply top may be tilted quickly from vertical to horizontal position. Height can be securely locked with an eccentric lever making for quick adjustment from low of 32" to a high of 50" with top in horizontal position. Drawing Board top rotates friction tight, on three-point suspension for placing work in most convenient working position.

EDBR-1 22" x 30" Easel-Drawing Board with Revolving and Tilting Board.

Net Wt. 32 lbs. Shpg. Wt. 40 lbs. Exp. Shpg.
Wt. 75 lbs. 4¼ cu. ft. \$37.50

EDBR-2 24" x 36" Easel-Drawing Board with Revolving and Tilting Board.

Net Wt. 34 lbs. Shpg. Wt. 43 lbs. Exp. Shpg. Wt.
83 lbs. 5¾ cu. ft. 39.50

EDBR-3 30" x 40" Easel-Drawing Board with Revolving and Tilting Board.

Net Wt. 43 lbs. Shpg. Wt. 53 lbs. Exp. Shpg.
Wt. 100 lbs. 8¾ cu. ft. 46.00

SEDR Stand only with Revolving and Tilting Features.

Net Wt. 24 lbs. Shpg. Wt. 29 lbs. Exp. Shpg.
Wt. 54 lbs. 3 cu. ft. 31.50

SED Stand only without Revolving Features.

Net Wt. 20 lbs. Shpg. Wt. 25 lbs. Exp. Shpg.
Wt. 50 lbs. 2¾ cu. ft. 29.00

EDB Easel
Drawing
Board with-
out Revolv-
ing Feature

Drawing
Board
Only

EDB-1... \$35.00 ED-1..... \$6.00

EDB-2... 37.00 ED-2..... 8.00

EDB-3... 43.50 ED-3..... 14.50

Metal Easel Shelf

ES-1..... \$3.00

ES-2..... 3.25

ES-3..... 3.50

Airpainting instructions for beginners—70 illustrations..... \$.35

Reproductions of more than 70 actual airpaintings completely illustrate each of twenty-six airbrush lessons. The completion and mastery of this short course will enable anyone who can draw to create a wide range of artistic effects and develop individual skills that will increase the value of his artistic ability.

The modern trend is toward Airpainting Techniques with emphasis on individuality. This little booklet can well become your "Pot of Gold at the End of the Rainbow." Send 35c in coin to cover the cost of printing, handling and mailing.


How to paint with air, by Frank J. Knaus, Paasche Airbrush Co., publishers..... \$3.75
(Liberal discount on quantity orders).

This book, written by an outstanding commercial artist, is indispensable to every artist or airbrush user, he will want this book for his ready reference library.

The magic of painting with air is well demonstrated by over 200 airpainting illustrations, which "show how" the user of the Airbrush can produce startling and unusual airpaintings. Textures and backgrounds show practical application of the use of compressed air for Landscaping, Product Design, Lettering, Figure Drawings, Photo Retouching, Poster Designing, Billboard Design, Fashion Illustrations, Machine Design and Illustrations, Architectural Design and renderings, Photo Montages, Surrealistic Designs and how equipment is used for Flock and Sandblasting designs on murals, etc.

Leading Directors have acclaimed this book the finest and most instructive ever published on the technique of the proper use of the airbrush.

Order from your local art supply store or direct from Paasche Airbrush Company.



The Most Complete Line of Airpainting Equipment Manufactured

Convertible into hundreds of air and
material atomizing operations.

For complete information write for Bulle-
tins as indicated in Sections listed below.


- Section 1. **ARTIST'S AIRPAINTING EQUIPMENT.**
Most complete line.
- Section 2. **THE "NO ink OFFSET" PROCESS.**
"No-ink-Offset" Fluid Units—"No-ink-Offset" Powder Units—
Combination Fluid and Powder Units—Automatic Airwasher
Systems, Bulletin NP3-49.
"No-Offset" Fluids and Powders, Bulletin NSP4-49.
- Section 3. **AUTOMATIC AIR HUMIDIFIER UNITS.**
For keeping Humidity constant, Bulletin HU8-49.
- Section 4. **PORTABLE AIRPAINTING EQUIPMENT—
AIRCOMPRESSORS.**
Stationary or Portable Aircompressors—Electric Motor or Gas-
oline Engine Drive Units for the Farm, Industrial Plants, Public
Utilities, Schools, Railroads, Institutions, Etc., Bulletin SA-
PA12-49.
- Section 5. **STERILIZING, FOGGING & BACTERIA CONTROL
UNITS.**
Made of stainless steel and used by food plants, dairies, and
processing plants, Bulletin St.1-50.
- Section 6. **HIGH PRODUCTION INDUSTRIAL AIRPAINTING
EQUIPMENT.**
Airbrushes—Syphon or Gravity fluid Cups—Pressure Feed Mate-
rial Tanks—Airconditioner Units—Pressure Regulators—Multi-
fluid Airbrushes—Specialty Airbrushes—Hose, Couplings and
Adapters, Bulletin HPA12-49.
Laundry & Dry Cleaners Water Sprays, Bulletin LK6-49.
- Section 7. **AIRFINISHING BOOTHS, VENTILATING EQUIPMENT.**
Water-Wash Booths—Dry Type Booths—Bench Booths—Flock
Reclaiming Booths—Silvering Booths—Automotive Booths—
Wall Ducts—Ventilating Units, Fan Units, Bulletin AB1-50.
- Section 8. **AUTOMATIC & SEMI-AUTOMATIC AIRPAINTING and
AIRCOATING UNITS.**
Pioneers in the development of the most complete line and
variety of Automatic spindle, conveyor and turntable units and
Semi-Automatic Units, etc.
Thousands of Automatic Units are saving industry millions of
dollars by finishing products on production lines at highest
speed obtainable.
- Section 9. **AUTOMATIC LUBRICATING EQUIPMENT.**
Complete Lubricating Equipment for Conveyor Bearings, Metal
Forming, Punch Press Dies and Stock, Bulletin LUB8-49.
- Section 10. **AUTOMOTIVE AIRPAINTING EQUIPMENT.**
Complete systems for production automobile painting, paint cir-
culating systems, Repairs and Maintenance, Truck, Trailer and
Automobile Airpainting Units—Trailer Booths and Painting
systems, etc., Bulletin AAE 4-50.

PAASCHE PORTABLE AIRPAINTING UNITS


The first airpainting unit on wheels was designed and
patented by Paasche over 35 years ago. Since then con-
stant research and improvements have made the Paasche
Portable line superior in design and performance. Con-
tract Painters and Decorators everywhere acclaim the
Paasche Portable Airpainting Units without an equal.
These great time-saving units are made in 1, 3, 5, and
7½ H.P. sizes. Write for Bulletin PA11-49.



AURF AIRBRUSH
up to 3.5 c.f.m.
For fluids of Light
consistency.




BUF AIRBRUSH
up to 6 c.f.m.
For fluids of Medium
consistency.



CU AIRBRUSH
up to 20 c.f.m.
For High Production
Airpainting and
Finishing



DU AIRBRUSH
up to 24 c.f.m.
For Heavy material
applications.



EU AIRBRUSH
up to 30 c.f.m.
For applications of
compounds and
heavy fluids.




Automatic Airpainting Units


**A few of Hundreds of Automatic Airpainting Units
Pioneered, Designed and Patented by Paasche**

Paasche Automatic Units are saving millions of dollars for industry. One unit saved a manufacturer over \$27,000 the first year of operation. Many other units are saving finishing materials and increasing production many fold. For further information write Paasche Airbrush Co., Chicago 14, Illinois.


Paasche




F42-SLC Straight Line Conveyor Automatic Aircoating Unit with chain Cross Bars, Mechanical Oscillating Gun Mountings, complete with Water-Wash Booth. Used for Wall Boards, Hardware, Trays and many high production airpainting jobs. **Aircoating capacity up to 28,000 sq. ft. per hour.**



F42-216-4 1/2 Automatic Aircoating and Drying Unit with 216 rotating spindles at 4 1/2" centers, Oscillating Gun mounting, water-wash booth and Electric Heated Convection Oven. Used for finishing various size and shape metal stamping products. **Air-coating capacity 2000 pieces per hour, allowing 4 minutes drying time.**



F47-13-36C Automatic Airpainting Unit for aircoating Sewing Machine Heads. Capacity 400 per hour.



Nationally known lithographer mounted this Paasche "No-Offset" Powder Unit on their latest type Miehle No. 61 Offset Press to insure delivery of clean white sheets at full press speeds—a small investment that pays a high return.

PAASCHE 3 in 1 "NO ink OFFSET" PROCESS UNITS

Fluid or Powder or Combination of Fluid and Powder.

The introduction and constant development of the Paasche "NO ink OFFSET" Process has revolutionized pressroom practices by giving the printer a modern operating method of preventing ink offset, for any type of Printing, on any type of Paper, with any type of Ink and on any type of Press.


Heavy Half-tone Process Work—Solid Color Forms—Metallic Ink Jobs—Overprint Varnish and Gloss Inks are now run with full use of color at press speeds never before contemplated.

Result! Better Printing—Lower Cost.


Solutions and Powders: Many different grades suited to any printing need.

Over 16,000 Presses Equipped

Licensed Under U. S. Patent Nos.
2,078,790; 2,110,052; 2,114,723;
2,187,837; 2,195,753.
Other patents applied for.



Paasche NFP 84" Pressmounted Fluid Unit mounted on Miehle No. 40 High Speed Chain Delivery Press, providing top speed press delivery without offset.



45 YEARS PIONEERING ARTISTS AIR DEVICES

"Air Digs Deeper and Goes Everywhere"


Contents

PAGE

2	Introduction
3	AB Airbrush
4	V Airbrush
5	VL Airbrush
5	VLAU Airpainting Unit
6	H Airbrush
7	F Airbrush
8	ALS Adjustable Linestriper
8	FP Flow Pencil
8	DBS Sprayer
8	MT Moisture Trap
8	HF 1/4" Air Valve
8	Artists Airhose, Adapters & Couplings
9	LA 3' and LA 7' Abrasive Guns
9	AE Air Eraser
9	Air-Eraser Compound
9	F1018R Hood with Mask
10	AURF Airbrush
10	AUTRF Airbrush
10	BF Airbrush
11	KS Airgun
11	KT Airgun
11	L Sprayer
12	LFA Flock Airgun
12	Airhose for larger Airbrushes
12	Couplings, Adapters & Elbows
12	Manifolds
13	LCG Liquid Carbonic Gas Unit
13	LCT Liquid Carbonic Tank Unit
13	RB3 1/4" Airregulator
13	RB3 3/8" Airregulator
13	AM6' RB3 1/4" Manual Air-conditioner Unit
13	AA12' RB4 1/4" Automatic Air-conditioner Unit.
14	Liquid Alcohol Colors
14	Liquid Weather Resistant Colors


PAGE

14	Tempera Colors
15	Liquid Water Colors
15	Ever-Moist Water Colors
15	Powder Colors
15	Reproduction White Colors
15	Gray Colors
15	Stencil Swivel Knife
16	D 1/4 HP Single Diaphragm Aircompressor
16	DAE 1/4 HP Single Diaphragm Automatic Electric Aircompressor
16	DD 1/4 HP Dual Diaphragm Aircompressor
16	DDAE 1/4 HP Twin Diaphragm Automatic Electric Aircompressor
17	PE 1/4 HP Portable Electric Aircompressor
17	PAE 1/4 HP Automatic Electric Aircompressor
17	PE 1/2 HP Portable Electric Aircompressor
17	PAE 1/2 HP Automatic Electric Aircompressor
18	Complete Portable Airpainting Units
19	Complete Portable Electric Airpainting Units
20	Easel and Drawing Boards
20	Instruction Books on Airpainting
21	Universal Convertible Multiplehead Airbrushes
22	Paasche Automatic Airpainting Units
22	Paasche "NO ink OFFSET" Process
23	Factory Branches
23	Guarantee and Terms



BACK COVER COURTESIES

- (1) Airpainting of Brian Donlevy by Robt. B. Briggs
- (2) Airpainting by Alexey Brodovitch
- (3) Airpainting by Frank J. Knaus
- (4) The first airbrush by Vonce Keller (Illustration shows the Neanderthal Man blowing color through the hollow leg bone of a deer, 35000 B.C.)
- (5) Airbrush Portrait by Hale Van Scoy
- (6) Freehand Painting by J. Zellers Allen
- (7) Prize winning Airpainting by Westbrook



Airbrush Techniques,
by J. Zellers Allen.....\$2.00
This 46 page book contains numerous illustrations and many practical suggestions for the Airbrush user. Distributed by Paasche Airbrush Co.

GUARANTEE

All Paasche Equipment is made of highest quality materials and guaranteed to be free from mechanical defects and imperfections. Standard equipment may be returned prepaid within 10 days for credit or exchange for other equipment, less a charge of 10%, plus the cost of replacing missing or damaged parts. Used hose is not returnable. If at any time within 90 days any parts prove defective, they may be returned to the factory prepaid, for replacement, without cost.

TERMS

All prices to rated concerns are net 30 days, F.O.B. Chicago, and are subject to change without notice. Prices do not include any tax imposed by any State Government or sub-division thereof either as an excise, sales or privilege tax.

Paasche Airbrush Co.

1909 DIVERSEY PARKWAY

CHICAGO 14, ILLINOIS

BRANCHES

New York, N. Y.	Philadelphia, Pa.	Detroit, Mich.	Boston, Mass.
Rochester, N. Y.	Pittsburgh, Pa.	Milwaukee, Wis.	Los Angeles, Calif.
New Orleans, La.	Cleveland, Ohio	St. Louis, Mo.	San Francisco, Calif.
Cincinnati, Ohio		Toronto 6, Ont.	


Distributors in principal cities. Branches in foreign countries

PRINTED IN U.S.A. 50M.

THIS CATALOGUE "PAASCHE "NO ink OFFSET" PROCESSED" by RICHTER McCALL & CO.

ART-1-50

23



Paaseke

ART CATALOG

Price List

ART-150

December 20, 1950.

*Profit
with
Paaseke
Air*

PAINTING

EQUIPMENT







Paaseke Airbrush Co.

DESIGNERS AND MANUFACTURERS

of the most complete line of Airbrushes, Aircompressors,
Airbrush Colors, Easel and Revolving Drawing Boards, etc.

1900 DIVERSEY PARKWAY
CHICAGO 14, ILLINOIS

751A



PAGE 3
THE FINE ARTS AIRBRUSH

AB Airbrush, complete	\$54.00
Net extra for ABL Airbrush for left-handed operator	13.00
Extra Needles, per dozen	1.35

PAGE 4
V1 or 2 AIRBRUSH

V size 1 or 2 Airbrush, complete	32.50
Extra Parts:	
VM size 1 or 2 Multiplehead	4.20
VN size 1 or 2 Needle	.65
VT size 1 or 2 Tip	2.10
V 1/8 oz. Metal Cup	1.55
V 1/4 oz. Metal Cup	1.75
V 1 oz. Metal Cup with Cover & Syphon Tube ..	2.95
V 1 oz. Color Bottle, complete	.90
1 oz. Bottle only	.10

PAGE 5
VL 1, 3 or 5 AIRBRUSH

VL size 1, 3 or 5 Airbrush, complete	36.50
Extra Parts:	
VLM size 1, 3 or 5 Multiplehead	4.40
VLN size 1, 3 or 5 Needle	.75
VLT size 1, 3 or 5 Tip	2.10
VLE 1/4 oz. Metal Cup for easel, VLD 1/4 oz. Metal Cup for drawing board ..	1.75
VL 2 oz. Aluminum Color Cup	3.75
VL 3 oz. Color Bottle	1.00
VLD 3 oz. Decorator's Color Bottle	1.50
3 oz. Bottle only	.10
VLH Aluminum Handle (For use with lacquer) ..	2.25
VLAU 1, 3 or 5 Airpainting Unit	74.40
Consists of:	
VL size 1, 3 or 5 Airbrush	\$34.00
ASCG 2 Qt. Gravity Cup	10.25
HL 3/16" 6' Fluid Hose	2.00
A 1/8" 6' Airhose	1.81
AM6' RB3 1/4" Airconditioner Unit ...	26.35
VLS 1, 3 or 5 Airbrush	36.50
VLS 3 oz. Bottle	1.30

PAGE 6
H "3 in 1" AIRBRUSHES

H size 1, 3 or 5 Airbrush	18.50
Extra Parts:	
H 3 oz. Bottle, complete	1.00
3 oz. Bottle only	.10
H143A Aluminum Handle	2.25
(Recommended for use with lacquer.)	
H 1/4 oz. Metal Color-cup	1.75
H 2 oz. Screw-cover Aluminum Cup	3.75
HD 3 oz. Decorator's Bottle	1.50
H Extra Color Adjusting Parts:	
H 1, 3 or 5 Color Adjusting Parts	4.20
H 1, 3 or 5 Aircaps	.75
HS "3 in 1" Airbrush	19.00
HS 1, 3 or 5 Color Adjusting Part	4.70
HS 3 oz. Color Bottle	1.30

PAGE 7
F "2 in 1" AIRBRUSHES

F size 1 or 2 Airbrush	15.00
Extra Parts:	
F 1 oz. Bottle, complete	.90
F 1/8 oz. Metal Color-cup	1.55
F 1/4 oz. Metal Color-cup	1.75
F Extra Color Adjusting Parts:	
F 1 or 2 Color Adjusting Parts	4.00
F 1 or 2 Aircaps	.70

PAGE 8
AIRPAINTING EQUIPMENT & ACCESSORIES

ALS Adjustable Line Striper	16.50
Extra Parts:	
ALSH 1/64" to 3/32" Striping Head	4.10
ALS 1/64" to 3/32" Striping Nib	2.10
ALS32 Pressure Cup	5.30
FP Flow Pencil	12.50
Extra Parts:	
FP 1/64", 1/32" or 1/16" Line Tip	1.10
DBS 6 oz. Sprayer	3.95
DB 1/4 x 1/4 x 40 Adapter	.55
DB32 Tire Chuck Adapter	.55
MT Moisture Trap	2.95
Airhose:	
A 1/8" 6' Airhose	1.81
Add or deduct for longer or shorter hose, per foot	.13 1/2
HL-C200 1/8"-1/4"-40 Coupling	.50
HL-C 1/8"-1/4" Coupling	.50
HF 1/4" Valve	1.20
DBS 6 oz. Sprayer	\$3.95
DB 1/4"-40 Adapter	.55
A 1/8" Airhose with couplings	1.81
Unit as illustrated	6.30

PAGE 9
ABRASIVE GUN and AIR-ERASER

LA3' or LA7' Abrasive Gun	\$21.00
Extra Parts:	
LA17 3' or LA17 7' Head Assembly	2.50
LA3' or LA7' Aircap	.90
F1018R Hood with Mask	12.00
LA Pint Cup only	4.15
AE3 Air-Eraser (New Improved)	12.90
AE11 Tip	1.15
AEX Eraser Compound (Fast Cutting)	
6 oz. Jar	.45
5 Lb. Carton	3.20
25 Lb. Carton	15.55

PAGE 10
AURF and AUTRF AIRBRUSHES

AURF size 1, 2 or 3 Multiplehead Airbrush	25.50
AUTRF size 1, 2 or 3 Multiplehead Airbrush	23.00
AUSS Pt. Snap-Lock Syphon Feed Metal Cup ..	6.25
ASCT 1/2 Pt. Screw-cover Syphon Feed Metal Cup	4.65
AUSG Pt. Snap-Lock Gravity Feed Metal Cup ..	8.65
ASCG 1/2 Pt. Screw-cover Gravity Feed Metal Cup	5.80
AUG 3 oz. Gravity Feed Metal Cup	3.85
BF 0, 2 or 4 Airbrush	20.50
USC Qt. Screw-cover Syphon Cup	5.00

PAGE 11
KS and KT AIRGUNS - L SPRAYER

KS Qt. Airbrush with KIF and KIR Aircaps	12.75
KS Pt. Airbrush with KIF and KIR Aircaps	12.50
KSF Head with Tip - Syphon fan spray, external atomizing, for use with KS Airgun ..	3.95
KT Qt. Airbrush, with KIF fan spray and KIR round spray internal atomizing heads ..	10.25
KT Pt. Airbrush, with KIF fan spray and KIR round spray internal atomizing heads ..	10.00
L-SC Qt. Sprayer	12.70
L-SC Pt. Sprayer	12.45
L-GJ Qt., Pt. or 1/2 Pt. Sprayer	11.50
LD-SC Qt. Sprayer	13.20
L Handpiece	7.00
SC Qt. Screw-cover Syphon Cup	1.50

PAGE 11 (Cont'd.)

SC Pt. Screw-cover Syphon Cup	1.35
GJ Qt. Glass Jar	.30
GJ Pt. or 1/2 Pt. Glass Jar	.20
L1, L2, L3 or L4 Tip, each	.35

PAGE 12

LFA FLOCK AIRGUN - AIRHOSE - COUPLINGS - VALVES

LFAC 2 Qt. Flock or Powder Airbrush	25.25
LFAC 1 Qt. Flock or Powder Airbrush	22.50
LFAJ Flock or Powder Airbrush	21.25
Airhose for LF or KS, KT, AU, LFA Flock Gun, LA Abrasive Gun and DBS Sprayer.	
HL 3/16" 8' Airhose with HLC 3/16"-1/4" cplgs. .	2.30
Add or deduct for longer or shorter hose, per foot	
HL-C20° 3/16"-1/4" Coupling	.15
HL-C 3/16"-1/4" Straight Coupling	.65
HL-C 3/16"-1/4" Straight Coupling	.55
HF 1/4" Line Valve	1.20
Airhose for BF, AU, BU and LA Abrasive Gun.	
HT 1/4" 8' Airhose with couplings	3.10
Add or deduct for longer or shorter hose, per foot	
HT-C20° 1/4" Coupling	.25
HT-C20° 1/4" Coupling	.65

PAGE 12 (Cont'd.)

HT-C 1/4" Coupling	.55
HF90° 1/4" Elbow	\$.45
HF 1/4" Valve	1.20
Unit as illustrated	1.65
HFM2 1/4" Manifold, 2 outlets	3.80
HFM3 1/4" Manifold, 3 outlets	5.95

PAGE 13

LIQUID CARBONIC UNITS - AIRREGULATORS and AIRCONDITIONERS.

LCG Liquid Carbonic Gas Unit	19.70
RG 1/4" Regulator, RG 60 lb. gauge, HF 1/4" Valve, N 1/4" Nut, HN 1/8" Nipple \$16.00	
RG41 Tank Clamp	1.50
UWIR Wrench	1.50
8' Slate Tubing	.72
LCT Liquid Carbonic Tank Unit	30.00
RD 1/4" Airregulator & Gauge	\$8.75
1/8" 6' Slate Tubing	.54
6 lbs. Carbonic Cylinder	20.75
RB3 1/4" Regulator, 2 Reg. outlet valves	14.70
Add for each additional outlet	
RB3 3/8" Regulator	2.05
RB3 3/8" Regulator	20.35
AM6' RB3 1/4" Manual Airconditioner Unit	26.35
AA12' RB4 1/4" Automatic Airconditioner Unit.	39.65

PAGE 14

AIRBRUSH COLORS

Liquid Alcohol Colors:	
1/4 Pint	Each \$.70
1/2 Pint	1.15
Pint	1.85
Quart	3.00
Gallon	10.90
Set of 10 Colors:	
1/4 Pint	6.45
1/2 Pint	10.10
Pint	16.75
Quart	27.35
Gallon	103.55
Alcohol Color Thinner:	
Quart Can	1.00

Liquid Weather Resistant Colors	
1/4 Pint	Each \$.95
1/2 Pint	1.85
Quart	5.60
Gallons	18.70
Set of 9 Colors:	
1/4 Pint	8.10
1/2 Pint	15.10
Quart	45.90
Gallons	150.00
Resistant Color Reducer:	
Quart Can	1.90

Tempera Colors	
2 oz. Jar	Each \$.35
1/2 Pint	.85
Pint	1.45
Quart	2.20
Set of 12 Selected Colors:	
2 oz. Jar	4.00
1/2 Pint	9.30
Pint	16.10
Quart	24.80
Gold & Silver:	
2 oz. Jar	.65
1/2 Pint	1.75
Pint	2.85
Quart	4.50

PAGE 15

AIRBRUSH COLORS (Continued)

Liquid Water Colors	
1/4 Pint	Each \$.60
1/2 Pint	.90
Pint	1.70
Quart	2.65
Gallon	8.90
Set of 9 Colors:	
1/4 Pint	5.10
1/2 Pint	7.45
Pint	14.50
Quart	22.30
Gallon	76.00

Ever-Moist Water Colors:	
Set of 12 Colors	\$12.30
2 ounce tube - each	
(any color)	1.15
Powder Colors:	
Set of Seven 1 oz. Boxes	5.20
1 oz. Box - ea. (any color)	.85
Reproduction White:	
1 ounce tube	.55

Graduated Gray-White Colors:	
#2, #4, #6, #8 and Black, 1 oz. Tube ..	
Set of 6	\$1.70
Set of 6	4.00
Stencil Swivel Knife...	
Extra Blades	\$1.30
Extra Blades	.55

PAGE 16

ARTIST'S DIAPHRAGM AIRCOMPRESSORS

D 1/4 HP Single Diaphragm Aircompressor	\$47.75
Net extra for 115V, DC Motor	
DAE 1/4 HP Single Diaphragm Automatic Electric Aircompressor	119.50
Net extra for 115V, DC Motor	
DD 1/4 HP Dual Diaphragm Aircompressor	76.00
Net extra for 115V, DC Elec. Motor	
DDAE 1/4 HP Twin Diaphragm Automatic Electric Aircompressor	158.50

PAGE 17

ARTIST'S AIRCOMPRESSORS

PE 1/4 HP Portable Electric Aircompressor	75.60
Net extra for 115V, DC Motor	
PAE 1/4 HP Automatic Elec. Aircompressor	144.00
Net extra for 115V, DC Motor	
Net extra for 110 or 220V, 50 Cy., 1 Ph.	6.50
Extra for Belt Guard, when desired ..	
PE 1/2 HP Portable Electric Aircompressor	218.50
Net extra for 115V or 230V, DC Motor	
PAE 1/2 HP Automatic Elec. Aircompressor ...	238.00

PAGE 18

AIRPAINTING UNITS

F-LC-U Airpainting Unit	48.80
F2 Airbrush	\$15.00
A 1/8" 6' Airhose with HLC20° 1/8"-1/4"-	
40 or HLC 1/8"-1/4" Couplings.	1.81
LCG Liquid Carbonic Gas Outfit ...	19.70
Set of 9 - 1/4 Pt. Liquid Water Colors	5.10
ED-1 22"x30" Drawing Board	7.00
F-D 1/4U Airpainting Unit	64.50
F2 Airbrush	15.00
A 1/8" 6' Airhose with HLC20° 1/8"-	
1/4"-40 or HLC 1/8"-1/4" Cplgs.	1.81
D 1/4 HP Single Diaphragm Aircomp.	47.75
H-D 1/4U Airpainting Unit	68.00
H3 Airbrush	18.50
A 1/8" 6' Airhose with HLC20° 1/8"-	
1/4"-40 or HLC 1/8"-1/4" Cplgs.	1.81
D 1/4 HP Single Diaphragm Aircomp.	47.75
V-D 1/4U Airpainting Unit	82.00
V size 1 or 2 Airbrush	32.50
A 1/8" 6' Airhose with HLC20° 1/8"-	
1/4"-40 or HLC 1/8"-1/4" Cplgs.	1.81
D Single Diaphragm Aircompressor.	47.75
DBS-S 1/4U Airpainting Unit	54.00
DBS Sprayer	3.95
HL 3/16" 8' Airhose with HLC 3/16"-	
1/4" Couplings	2.30
D 1/4 HP Single Diaphragm Aircomp.	47.75
VL-DD 1/4U Airpainting Unit	114.30
VL size 1, 3 or 5 Airbrush	36.50
A 1/8" 6' Airhose with HLC20° 1/8"-	
1/4"-40 or HLC 1/8"-1/4" Cplgs.	1.81
DD 1/4 HP Dual Diaphragm Aircomp.	76.00

PAGE 19

AIRPAINTING UNITS (Continued)

L-D 1/4U Airpainting Unit	62.75
LSC Qt. L Sprayer	12.70
HL 3/16" 8' Airhose with HLC 3/16"-	
1/4" Coupling	2.30
D 1/4 HP Single Diaphragm Aircomp.	47.75

PAGE 19 (Cont'd.)

KS-DD 1/4U Airpainting Unit	91.00
KS Qt. Airgun	12.75
HL 3/16" 8' Airhose with HLC 3/16"-	
1/4" Coupling	2.30
DD 1/4 HP Dual Diaphragm Aircomp.	76.00
BF-PE 1/2U Airpainting Unit	247.00
BF0 Qt. Airbrush	25.50
HT 1/4" 8' Airhose with HT 1/4" Cplg.	3.10
PE 1/2 HP Elec. Aircompressor	218.50
AU-PAE 1/2U Airpainting Unit	271.50
AURF 1 Airbrush	30.50
HT 1/4" 8' Airhose with HT 1/4"	
Couplings	3.10
PAE 1/2 HP Automatic Elec.	
Aircompressor	238.00

PAGE 20

EASEL & DRAWING BOARDS - AIRBRUSH BOOKS

Easel-Drawing Boards:

EDBR-1 22" x 30"	\$41.50
EDBR-2 24" x 36"	44.25
EDBR-3 30" x 40"	53.50
SEDR Stand Only	34.50
SED Stand Only	32.00
Without Revolving Feature:	
EDB-1	39.00
EDB-2	41.75
EDB-3	51.00

Drawing Board Only:

ED-1	\$7.00
ED-2	9.25
ED-3	19.00

Airbrush Books:

Airpainting Instructions for Beginners	\$.35
How to Paint with Air by Frank J. Knaus	3.75

PAGE 23

Airbrush Techniques by J. Zellers Allen	2.00
---	------

Guarantee

All Paasche Equipment is made of highest quality materials and guaranteed to be free from mechanical defects and imperfections. Standard equipment may be returned prepaid within 10 days for credit or exchange for other equipment, less a charge of 10%, plus the cost of replacing missing or damaged parts. Used hose is not returnable. If at any time within 90 days any parts prove defective, they may be returned to the factory prepaid, for replacement, without cost.

Terms

All prices to rated concerns are net 30 days, F. O. B. Chicago, and are subject to change without notice. Prices do not include any tax imposed by any State Government or sub-division thereof either as an excise, sales or privilege tax.

1909 DIVERSEY PARKWAY

Paasche Airbrush Co.

CHICAGO 14, ILLINOIS

Designers and Manufacturers

BRANCHES

New York, N. Y.	Philadelphia, Pa.	Detroit, Mich.	Boston, Mass.
Rochester, N. Y.	Pittsburgh, Pa.	Milwaukee, Wis.	Los Angeles, Calif.
New Orleans, La.	Cleveland, Ohio	St. Louis, Mo.	San Francisco, Calif.
Cincinnati, Ohio		Toronto 6, Ont.	

Distributors in principal cities. Branches in foreign countries.

PRINTED IN U.S.A.

By Invitation Member



Emblem of
Business Character